


**World's Finest Products For Harley-Davidsons** 



# **SEASON SALE 2022 - 2**

**VALID TO AUGUST 31<sup>ST</sup> 2022** 

AS LONG AS STOCK LASTS









### **Mojave Goggle**

- Flexible Poly Frame
- Anti-Fog Uv400 Polycarbonate Hd Lens
- Triple-Layer Face Foam Provides Excellent Moisture
- Genuine Leather Strap Trim
- Soft Moisture-Wicking Fleece Layer
- Silicone Traction Strips On The Interior Of The Strap
- Wear With Glasses (Otg)
- Extra Clear Lens And Microfiber Bag
- Ce-Certified
- Perfectly Fits Torc T-3 And T-50

### Material: Polyurethane, Unit: Each, Qty.: 1.0

Part#	Color	Glass Color
918417	White	Blue
918421	Beige	Green



## **Canvas Solo Side Bag**

- 24oz thick, water proof military grade canvas
- High quality stainless steel hardware
- Reinforced with thick leather straps and backings

Fitment: 82-03 Sportster, Color: Brown, Army Green, : Strut Mount, Position: Left, Material: Cotton Canvas, Leather, Length mm: 387.5mm, Unit: Each, Qty.: 1.0






### **Minotaur Seat**

- Polyurethan Foam
- Lightweight, flexible, yet very strong fibre glas seat pan
- Leather seating surfaces, vinyl side bands
- Base plate made of fiberglas

Fitment: 08-10, 13, 16-22 FLHR, 08-18 FLHRC, 08 FLHRSE4, 13 FLHRSE5, 14 FLHRSE, 18-22 FLHRXS, Color: Black, Material: Leather, Vinyl, Unit: Each, Qty.: 1.0





### **Enzo Tracker Solo Seat**

- Direct bolt on
- · Ergonomic shape keeps rider seated firmly & comfortably
- Controlled density polyurethane foam
- Baseplate is marine grade fiberglass
- RSD metal logo

**F**itment: 00-03, 07-12, 14-17 FLSTC, 00, 03, 06 FLSTF, 00-03 FLSTS, 00-03 FXST, 00-03 FXSTB, 00-03 FXSTS, 01-06 FLSTCI, 01-04, 06 FLSTFI, 01-03 FLSTSI, 01-02, 04 FXSTBI, 01-02, 04-05 FXSTI, 01-02, 04-05 FXSTSI, 05 FLSTFSE, 05, 07-12, 14-17 FLSTN, 05-06 FLSTNI, 05-06 FLSTSCI, 06 FLSTI, 07 FLSTSC, 11-12 FXS, 12, 14-17 FLS, 13 FLS 103, 13 FLSTC 103, 13 FLSTC 103 ANV, 13 FLSTN103, 13 FXS 103, 16-17 FLSS, Field of Application: Softail 08-17 equipped with RSD 150mm Tracker Fender Kit (Require Use Of Shorter Battery CCE# 890453,890454), Color: Black, Material: Vinyl, Unit: Each, Qty.: 1.0





### 7" Solo Luggage Rack

- Easy mount
- Carries tent, backpack or sleeping bag
- Maximum capacity: 4,5 kgs
- Steel tubing

910633 Fitment: 06-12, 14-17 FLSTF, 06 FLSTFI, 06 FLSTFSE2, 06 FLSTNI, 07-12, 14-17 FLSTN, 10-12, 14-17 FLSTFB, 13 FLSTF 103, 13 FLSTFB 103, 13 FLSTN103, 14-15 FLSTNSE, 16-17 FLSTFBS, Fitment Note: Will not fit Corbin seats., Color: Black, Finish: Gloss, Position: Rear, Material: Steel, Length mm: 279.4mm, Unit: Each, Qty.: 1.0








### 6" Solo Luggage Rack

- Easy mount
- Carries tent, backpack or sleeping bag
- Maximum capacity: 4,5 kgs
- · Steel tubing

642271 Fitment: 12, 14-17 FLS, 11-12 FXS, 13 FLS 103, 13 FXS 103, 16-17 FLSS, Fitment Note: May require fender seat nut if there is a plastic plug covering the hole in the fender., Color: Black, Position: Rear, Material: Steel, Length mm: 279.4mm, Unit: Each, Qty.: 1.0




## RBS **Bagger Rear Conversion Kit**



- No drilling or welding necessary
- Includes rear fender, a pair of saddlebags with round lids and a black powder coated support bracket
- Saddlebag hardware (lid latches, fasteners and latch covers) is not included and must be ordered separatly

893211 Fitment: 07 FXST, 07-09 FXSTB, 07-10 FXSTC, 07 FXSTSSE, 07 FXSTD, 07-12, 14-17 FLSTF, 07 FLSTSC, 08 FXSTSSE2, 08-11 FLSTSB, 09 FXSTSSE3, 10-12, 14-17 FLSTFB, 11-12 FXS, 13 FLSTF 103, 13 FLSTFB 103, 13 FLSTFB103, 13 FXS 103, 14-17 FXSB, 16-17 FLSTFBS, Field of Application: For use with Softail staggered OEM exhaust pipes or FL Touring style 2-in-1 and 2-in-2 exhaust systems., Color: Black, Position: Rear, Left, Right, Material: Fibre Glass, Unit: Kit, Qty.: 1.0











### **FXR Forward Control Kit**

An easy-to-install, American-engineered forward control assembly for all of the 5-speed FXR models from 82-94 whether Shovelhead or Evolution-powered. Simple installation does not require the primary cover to be removed. All parts are showchromed. A chrome cap for the thru-the-case shifter, and a complete hardware set are included.

Fitment: 82-84, 89-94 FXR, Color: Chrome, Certification: CCE TÜV-Approved, Unit: Each, Qty.: 1.0





### **Sportster Passenger Peg Mounts**

888783 Fitment: 14-20 Sportster, Color: Black, OEM #: 505002070, Position: Rear, Unit: Kit, Qty.: 1.0





### **Custom Contour Footpeg**

- Foldable design
- Timeless, classic designed pegs
- Ergonomic and functional shape

610374 Color: Black, Finish: Anodized, Position: Front, Material: Billet Aluminium, Rubber, Unit: Pair, Qty.: 1.0



**Custom Contour** 





### **Custom Contour Grips**

- Timeless, classic, designed grip
- Ergonomic and functional hand shape

Unit: Pair, Qty.: 1.0

• Soft serrated pattern keeps your hands locked on

610381 Fitment: 81-84 FL Shovel, 81-84 FX Shovel, 85-94 FX Model, 81-20 Sportster, 91-17 Dyna, except 16-17 FXDLS, 84-15 Softail, except 11 FLSTSE2, 12 FLSTSE3, 13-14 FXSBSE, 14-15 FLSTNSE, 86-07 Touring, 02-17 V-Rod, Field of Application: All HD with Dual Cable, Fitment Note: Not for use with Handlebar Air Reservoir, Color: Black, Finish: Anodized, Operation Type: Cable operated, Material: Billet Aluminium, Rubber, Bar Ø: 1",





**15%** 

Fitment: 87-03 Sportster, 87-94 FX Model, 91-03 Dyna, 87-03 Softail, 87-03 Touring, OEM #: 42382-82A, Position: Rear, Unit: Kit, Qty.: 1.0



### **Forward Control**

- 11/16" Racing master cylinder technology
- Designed for PM or OEM Brake Systems
- Delivered without pegs (must be ordered separately)
- Choose your own peg design

Pitment: 91-17 Dyna, Color: Black, Material: Aluminium, Unit: Kit, Qty.: 1.0



### New 1 1/4" Bonanza Bagger Handlebar

- Redesigned version of our successful Bonanza Bagger Bars
   30mm wider than the Bonaza Bagger Bar for Models until
- Suitable for Batwing Touring models from 2014
- Additional heigth of 13" available
- Strong 1 1/4" steel tubing
- Precision mandrel bending process
- Fits throttle by wire models
- Knurled 1" clamping area
- Fits 1" handlebar control units


Fitment: 14-22 Touring, except 14-18 FLHRC, 14 FLHRSE, 15-16 FLTRUSE, 15-21 FLTRXS, 16-22 FLHR, 16-19 FLTRU, 18-22 FLHRXS, 18-22 FLTRX, 18-19, 21-22 FLTRXSE, 20-22 FLTRK, 22 FLTRXST, 22 FLTRXS , 22 FLTRKSE, Field of Application: For use with throttle cables and throttle by wire, Fitment Note: Certification require one-piece handlebar clamp, Color: Chrome, Certification: CCE TÜV-Approved, Operation Type: Throttle By Wire, Material: Steel, Bar ø: 1 1/4", Clamp ø: 1", Cable Routing: 3-Hole, Unit: Each, Qty.:

Part#	Height
917882	16"
917884	13"
1	
N N	
1	
1	
10601	
With the same of t	11346

### Chubby Outlaw `Z` Ape Handlebar

Outlaws are perfect for narrow glide and mid-glide front ends or for an Outlaw look on Softails, Road Kings and Road Glides.

93763 Field of Application: For use with throttle cables and throttle by wire, Color: Hot Rod Black, Finish: Powder Coated, Operation Type: Throttle By Wire, Material: Steel, Bar ø: 1 1/4", Clamp ø: 1", Cable Routing: Non-Dimpled, 3-Hole, Unit: Each, Qty.: 1.0



### Drag Handlebar

1" Steel Drag Bars, works with most models (except throttle-bywire models). Available in different widths to optimize comfort.

602210 Color: Black, Finish: Powder Coated, Certification: CCE TÜV-Approved, Material: Steel, Bar ø: 1", Clamp ø: 1", Cable Routing: Dimpled, Unit: Each, Qty.: 1.0



# PRODUCTS

**25**%

### **60s Wide Style Handlebar**

Think about classic Z-Bar design? Watch out for the coolest brand to build Old School and Retro Bikes. First class quality Z-handlebar design based on a long term Jammer market knowledge.

651819 Color: Black, Finish: Powder Coated, Material: Steel, Bar Ø: 1", Clamp Ø: 1", Cable Routing: Non-Dimpled, Unit: Each, Qty.: 1.0



### **Chubby MX Street Fighter Handlebar**

These bars feature an aggressive style while maintaining a neutral wrist angle for comfort and ride ability. They feature finely tuned precision bends and welds that polished to show finish. Handlebars come pre-drilled for internal wiring and notched to work with throttle-by-wire applications. Made in the U.S.A.

93592

Fitment: 84-22 Softail, except 18-22 FLSB, 91-17 Dyna, 82-20 Sportster, 85-94 FX Model, 86-22 Touring, Field of Application: For use with throttle cables and throttle by wire, Fitment Note: Does not fit Touring Models with Batwing Fairing or Riser Clamp Covers. Does not fit Models with Springer Forks. Riser mounted instruments needs to be relocated., Color: Chrome, Certification: CCE TÜV-Approved, Operation Type: Throttle By Wire, Material: Steel, Bar Ø: 1 1/4", Clamp Ø: Integrated Risers, Cable Routing: Non-Dimpled, 3-Hole, Unit: Each, Qty.: 1.0







Vorld's Finest Products For Harley-Davidsons

### **Backlit Hand Control Switch and Housing Kit**

- Symbols of the switches are back lit by a warm yellow LED light
- Including switch housings
- Radio, cruise control and intercom buttons on Touring switch kits included but not illuminated
- · Pe-wired switches

653702 Fitment: 96-13 Touring, Fitment Note: For Models equipped with Audio and Cruise Control, Color: Chrome, : With backlit siwtches, Position: Brake side, Clutch side, Material: Cast Aluminium, Bar ø: 1", Unit: Kit, Qty.: 1.0



681245 Fitment: 96-06 Dyna, 96-06 Softail, 96-06 Touring, Color: Chrome, Unit: Kit, Qty.: 1.0







# **25%**

### **Backlit Hand Control Switch Kit**

- Symbols of the switches are back lit by a warm yellow LED light
- Radio, cruise control and intercom buttons on Touring switch kits included but not illuminated
- · Pe-wired switches

653706 Fitment: 96-13 Touring, Color: Chrome, Unit: Kit, Qty.: 1.0







## World's Finest Products For Hardey-Davidsons Sportster Handlebar Control Kit

- Complete Kits
- Ergonomic shaped levers

894895 Fitment: 14-20 Sportster, Color: Chrome, : without ABS, Operation Type: Cable operated, Position: Brake side, Clutch side, Bar ø: 1", Unit: Kit, Qty.: 1.0





### **Contour Hand Control Sets**

- 9/16" brake master cylinder
- Cable cluth or 11/16" clutch master cylinder
- Clutch side spacer
- Dual cable throttle housing
- Right & left 3 button switches
- Brake light switch
- Grips must be ordered separatly. Will not fit 08-17 FLH models

Fitment: 86-13 Sportster, 85-94 FX Model, 91-11 Dyna, 84-10 Softail, Fitment Note: Will not work with OE Switch Housing., Color: Contrast Cut, Operation Type: Dual Disc, Position: Brake side, Clutch side, Material: Aluminium, Bore: 9/16", Bar Ø: 1", Unit: Set, Qty.: 1.0



# DAYTONA

### Capsule 120 4 1/2" Headlight

The Capsule120 is a LED main headlight with two side mounting points for common headlamp brackets. It is vibration-proof, waterproof and suitable as main headlight for all types of motorcycles.

- 100% approved and E- and CE-tested as the sole headlight on the motorcycle
- With parking light, position light as well as low beam and high beam

912422 Color: Black, Finish: Powder Coated, Glass Color: Clear, Certification: E-Approved, Material: Steel, Lighting Type: LED, Unit: Each, Qty.: 1.0







### Model 8690 Adaptive 2 Headlight Insert

The Adaptive 2 Series™ uses proprietary technology and onboard sensors to calculate bank angles on a real-time basis, automatically directing the light array up or down as the motorcycle leans. This additional illumination fills in the gaps to the left or right of the motorcycle that traditional headlights can't.

- Improved to feature adaptive technology with the high beam, in addition to the low beam
- On-board intelligence senses leaning angles when cornering to control light
- Dynamically fills in dark areas while turning
- Plug & play solution with PAR46 motorcycle headlight buckets
- Breakthrough improvement in visibility and safety
- Dual Burn™ high & low beam optics for extra punch of light
- ComfortLite™ high beams

O443 Color: Black, Glass Color: Clear, : With black reflector, Certification: E-Approved, Material: Cast Aluminium, Diameter mm: 146.05mm, Lighting Type: LED, Unit: Each, Qty.: 1.0









### Model 8700 Evo 2 Dual Burn Headlight Insert

The bright, white LED light of J.W. Speaker headlights just got even brighter. Dual Burn headlights keep the low beam optics on when drivers switch to high beam. Effective light output on the high beam increases about 10% — while the precise solid optics direct the light and maintain being street-legal.

- Dual Burn™ high beam optics for extra punch of light
- Features SmartHeat<sup>™</sup> technology for heavy-duty truck applications
- Easy plug and play installation
- ComfortLite™ high beams

619523 Color: Chrome, Glass Color: Clear, : With chrome reflector, Certification: E-Approved, Material: Cast Aluminium, Diameter mm: 177.2mm, Lighting Type: LED, Unit: Each, Qty.: 1.0







### **Stop LED Taillight**

- With STOP emblem and license plate light
- Dimensions: Diameter 68,5 mm, Depth: 48 mm
- Distance between M4 screws: 29 mm

Color: Black, Glass Color: Red, Bezel Color: Chrome, Certification: E-Approved, Material: Metal, Diameter mm: 68.5mm, Lighting Type: LED, Thread: M4, Unit: Each, Qty.: 1.0





### **Proton Module LED Taillight**

- 11 mm diameter
- Round shape for laminating or gluing in
- M3 thread
- Tinted lens
- LED Illumination
- Metal housing

916884 Color: Black, Glass Color: Tinted, : LED, Tinted Lens, Black Metal Housing, Certification: E-Approved, Material: Metal, Diameter mm: 11.0mm, Lighting Type: Reflector LED, Unit: Each, Qty.: 1.0









### Old School Type 3 LED Taillight with License **Plate Bracket**

- With fixed license-plate bracket and license-plate light
- Dimensions: Tail light: Housing diameter 36 mm, At the front edge 45 mm, Housing with glass approx: 60 mm, License plate holder: Width: 165 mm, Height: 40 mm

618398 Color: Black, Glass Color: Red, Certification: E-Approved, Material: Metal, Lighting Type: LED, Unit: Each, Qty.: 1.0



## Micro Rhombus PL LED Turn Signal/Position

Thanks to modern high-performance-LEDs and the specially control technology\*\*, the micro Rhombus PL ensures better visibility in road traffic. Connected about the instrument

- Increased safety because of improved visibility
- · Replaces the existing position light as well as the indicator
- Sensational new front look
- Kellermann HighPower LED Technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High quality metal housing
- Suitable for 6 and 12 volt DC applications
- With M8x20 thread

SEASON SALE 2022 - 2 VALID TO AUGUST 31<sup>ST</sup> 2022

Finish: Satin, Glass Color: Clear, Certification: E-Approved, Material: Metal, Lighting Type: LED, Thread: M8, Unit: Each, Qty.: 1.0

Part#	Position	
652534	front left	
652535	front right	









# Apollo Bullet LED Turn Signals/Taillight/Brake

- 2 very intense SMD in the centre
- COBs (Chip On Board) complete the light source at the external ring

Fitment Note: E-mark for rear installation only... Color: Black, Glass Color: Smoke, : Smoke Lens, Black Alu Housing, Certification: E-Approved, Material: Aluminium, Diameter mm: 22.0mm, Lighting Type: LED, Thread: M8, Unit: Pair, Qty.: 1.0









### **Proton Module LED Turn Signal**

- 11 mm diameter
- · Round shape for laminating or gluing in
- M3 thread
- Tinted lens
- LED Illumination Metal housing
- · Comes as pair

Color: Black, Glass Color: Tinted, : LED, Tinted Lens, Black Metal Housing, Certification: E-Approved, Material: Metal, Diameter mm: 11.0mm, Lighting Type: LED, Unit: Pair, Qty.: 1.0









### Paradox LED Turn Signals/Taillight/Brake Light

- Dimensions 0,88 x 31,75 x 31,75
- Matching Turn Signal/Position Lights available

Color: Black, Certification: E-Approved, Material: Aluminium, Diameter mm: 22.0mm, Length mm: 37.5mm, Lighting Type: LED, Unit: Pair, Qty.: 1.0

Part#	Glass Color	Description		
899821	Clear	Clear Lens		
899822	Smoke	Smoke Lens		











• LED Illumination

Metal housing

· Comes as pair



### **Proton Two LED Turn Signal/Position Light**

- 11 mm diameter
- Round shape
- M8 thread
- Tinted lens

Color: Black, Glass Color: Smoke, : LED, Tinted Lens, Black Metal Housing, Certification: E-Approved, Material: Metal, Diameter mm: 11.0mm, Lighting Type: LED, Thread: M8, Unit: Pair, Qty.: 1.0











### Proton Module LED Turn Signal/Taillight/Brake Light

- 11mm diameter
- Round shape
- Tinted lens
- LED Illumination Metal housing
- · Comes as pair
- To be laminated or glued in

916883 Color: Black, Glass Color: Smoke, : LED, Tinted Lens, Black Metal Housing, Certification: E-Approved, Material: Metal, Diameter mm: 11.0mm, Lighting Type: LED, Unit: Pair, Qty.: 1.0









### Apollo Bullet LED Turn Signals/Taillight/Brake Light

- 2 very intense SMD in the centre
- COBs (Chip On Board) complete the light source at the external ring

Fitment Note: E-mark for rear installation only., Color: Black, Glass Color: Smoke, : Smoke Lens, Black Alu Housing, Certification: E-Approved, Material: Aluminium, Diameter mm: 22.0mm, Lighting Type: LED, Thread: M8, Unit: Pair, Qty.: 1.0



### **Dyna S Ignition System Kit**

- Dual fire ignition kit includes Dyna S ignition, dyna high performance coil, wiring and detailed instructions
- Single fire ignition kit includes Dyna S ignition, two dyna high performance coils, wiring and detailed instructions
- Systems use magnetic rotors
- With Original Equipment spark advance mechanisms to retain the factory advance curves
- Replaces points and condensers with a high-performance dual or single-fire system
- Change timing less than 3° from 0-8,000 RPM and feature improved performance
- Easy installation
- Completely self-contained
- Installs behind points cover.

Fitment: 70-84 FL Shovel, 71-84 FX Shovel, 85-94 FX Model, 70-03 Sportster, 91-99 Dyna, 84-99 Softail, 86-99 Touring, : Dual Fire, Unit: Kit, Qty.: 1.0



### **Dyna S Electronic Ignition**

Systems use magnetic rotors with Original Equipment spark advance mechanisms to retain the factory advance curves and replace points and condensers with a high-performance dual or single-fire system.

• Ignition only

Fitment: 71-79 Sportster, 70-79 FL Shovel, 71-79 FX Shovel, : Dual Fire, Unit: Kit, Qty.: 1.0



**Ignition Coils** 

Dynatek coils for Harley-Davidson applications are high-quality American-made performance coils designed to provide spark voltages in excess of 30,000 volts and spark energy second to none. Coils may be installed in conjunction with Original Equipment V-Fire III and compatible after-market electronic and point-type ignition systems. Available in four 12-volt versions with single and dual towers, these coils are the perfect answer for two or four plug heads. Additional brackets will be required for installation. Sold in pairs.

Fitment: 70-84 FL Shovel, 71-84 FX Shovel, 85-94 FX Model, 70-03 Sportster, 91-99 Dyna, 84-99 Softail, 86-99 Touring, Color: Black, Operation Type: Single Fire, Resistance: 50hm, Unit: Pair, Qty.: 1.0

















### **Quadflex AGM Battery**

- Reduce your battery inventory by nearly 85%
- 2 x Minus and 2 x Plus Connectors
- Quit messing around with electrolyte
- MotoBatt is an AGM battery, a type of sealed lead acid
- Get all the benefits of a GEL battery at a sensible price
- Shipped dry with high gravity

Fitment: 97-03 Sportster, 07-17 V-Rod, 91-21 Softail, 91-17 Dyna, 97-02 M2, 97-99 S3, 99-02 X1, Color: Black, Battery Type: AGM, OEM #: 65989-97D, 65989-90B, Capacity: 21.0Ah, Cold Cranking Amps: 310A, Unit: Each, Qty.: 1.0





## Vnibat **CX Heavy Duty Battery**

AGM technology (Absorbed Glass Mat) is an innovative system used by UNIBAT. When pouring the acid, battery is completely sealed, to avoid further annoying refills.

- 30% more power than classic AGM batteries
- Reinforced and more robust design
- Completely filled and sealed
- Leak proof and completely maintenance free
- Reinforced housing and connection contacts
- Particularly resistant to vibrations and shocks
- · AGM technology with glass fiber fleece (similar to gel technology)
- More charge cycles than conventional acid batteries
- Battery installation possible in every position
- Vibrations resistant

Color: Black, Battery Type: AGM, Unit: Each, Qty.: 1.0

Part#	Fitment	OEM #	Capacity	Cold Cranking Amps
911756	02-06 V-Rod, 07 VRSCR, 03-10 XB	65948-00A	12.0	275
911757	15-20 Street, 04-20 Sportster, 09-10 1125	65958-04	12.0	275
911758	81, 84-96 Sportster, 84-90 Softail, 89-94 FXR	65991-82B	19.0	435
911759	91-96 Softail, 91-96 Dyna	65989-90B	19.0	435
911760	97-02 M2, 97-99 S3, 99-02 X1, 91-17 Dyna, 91-21 Softail, 07-17 V-Rod, 97-03 Sportster	65989-97C	18.0	385
911761	97-22 Touring, 09-22 Trike	66010-97C	30.0	510





### **Bike-Power GEL Battery**

The heavy-duty bundle of energy copes well with the strongest road shocks and engine vibrations from Harleys or other largedisplacement bikes and also starts two-wheelers with a high demand for electrical energy (e.g. with ABS).

- Perfect for Harleys and other high displacement 2-cylinder engines
- Highest cold currents
- For two-wheelers with high energy requirements, e.g. ABS safety technology
- Extremely vibration resistant, plate packs compressed and accurately fitted in the battery box
- Robust housing made of impact-resistant plastic for heavy mechanical stresses
- Leak-proof, can be installed at any angle, electrolyte bound as gel
- Absolutely maintenance-free

### Battery Type: Gel, Unit: Each, Qty.: 1.0

Part#	Fitment	OEM #	Capacity	Cold Cranking Amps	Length mm
919316	97-02 M2, 97-99 S3, 99-02 X1, 91-17 Dyna, 91-20 Softail,	65989-97A	20.0	350	176.0
	07-17 V-Rod, 97-03 Sportster				
919317	97-22 Touring, 09-22 Trike	66010-97A	32.0	445	166.0
919318	15-20 Street, 04-20 Sportster, 09-10 1125	65958-04A	14.0	255	149.0
919319	80-84 FL Shovel, 86-96 Touring	66010-82B	24.0	410	205.0
919320	02-06 V-Rod, 07 VRSCR, 03-10 XB	65948-00	14.0	255	149.0









### **Upswept Performance Exhaust System**

A true "classic" is back in a modernized version! Fred Kodlin "Upswept Performance" brings back the classic "Kodlin Look" and elevates it to a new level. Modern technology and new styling result in a combination of aggressive look and cool sound!

- Aggressive look
- Spring mounted mufflers
- Removable dB-Killer for racetrack use
- Stainless steel

Fitment: 18 FXBR, 18-20 FXBRS 114, 18 FXBRS 114 ANX, 18-20 FLFB, 18-20 FLFBS 114, 18 FLFBS 114 ANX, 18 FLFBS 114 ANV, 19-20 FXDRS 114, Color: Black, Certification: Euro 4, Material: Stainless Steel, Unit: Each, Qty.: 1.0





### **Radical Exhaust System**

High-quality exhaust systems with double wall construction and three step design. These systems are made with removable baffles. They are TÜV approved and beautifully chromed.

681520 Fitment: 04-16 Sportster, Color: Chrome, Certification: Euro 2, Unit: Each, Qty.: 1.0





### 2 into 1 Header



These head pipes are 1 3/4" diameter and will accept most universal mufflers in this section. They are 2 to 3 piece sets depending on application.

651402 Fitment: 70-84 FL Shovel, Material: Steel, Unit: Each, Qty.: 1.0





# **25%**

### 3" HP-Plus Slip-On Mufflers

High Performance mufflers for all current HD models. Khrome Werks HP-Plus patented steel construction baffle, which now features more high temperature fiberglass packing, provides significant gains in both horsepower and torque and exhibits a distinctive, deep throaty sound. All models retain factory crossover features and utilize factory brackets, clamps, gaskets, and mounts.

642301 Fitment: 14-20 Sportster, Color: Black, Material: Steel, Unit: Each, Qty.: 1.0





# **15%**

### **Speedometer Cylinder Bracket**

Relocates OE speedometer to left side of the engine
 619662 Fitment: 07-19 Sportster, Color: Black, : With coil relocation, Unit: Each, Qty.: 1.0





### **Exhaust Wrap**

**15%** 

Motorcycle exhaust wrap for custom, stock or racing applications. It helps keep exhaust cooler giving you more horsepower. Can be used to cover blued exhaust. Available in tan, black or titanium colors. Black and tan wraps withstand 1200°F direct / 2000°F radiant. Titanium Wrap withstands 1800°F direct / 2000°F radiant.

## Field of Application: For all Models., Length mm: 15240.0mm, Unit: Each, Qty.: 1.0

Part#	Color
660805	Black
660809	Titanium











### **Double Groove Slip-On Muffler**

The FALCON Double Groove gives the ultimate chopper style to your bike: Nicely outlined high gloss polished stainless steel manifolds with groove style endcaps are blowing off dull and deep choppersound. With EG-BE.

- With welded mount
- Removable dB killer

Fitment Note: The use of exhausts without dB-killer is not allowed in public traffic., : 2 in 2, Material: Stainless Steel,

Part#	Fitment	Color	Finish	Certification
642848	14-16 Sportster		Polished	Euro 3
900310	17 FXSB, 17 FLSTC		Polished	Euro 4
900317	06-16 Dyna	Black	Satin	Euro 3
901976	18-20 FXBB, 18-20 FLSL, 18-20 FXLR, 18-20 FLFB, 18 FLFBS 114 ANV, 18-19 FXBR, 18	Black	Satin	Euro 4
	FXBRS 114 ANX, 19-20 FLFBS 114, 20 FXBRS 114			







### **Air Cleaner Mounting Bracket**

Replace the Original Equipment black plastic air boxes when installing custom air cleaners with flat backing plates. 629303 Fitment: 88-06 Sportster, Unit: Each, Qty.: 1.0





Each, Qty.: 1.0

Milwaukee Eight EFI Breather Kit

Part#	Color
915935	Black
915936	Chrome





### ThunderMax Engine Control System (ECM)

Would you like to have full control of your EFI system, freedom to make major or minor adjustments without the need for a dyno or a degree in computer technology? Here is a simple solution - ThunderMax with Auto-Tune! The ThunderMax is a product that replaces the factory module and is not an add-on box or signal modifier. The ThunderMax is purpose built to deliver uncompromising performance.

Just how easy is it? Installation is a straightforward replacement of the factory module and oxygen sensors. The ThunderMax software contains hundreds of base maps that cover over 80% of popular factory and aftermarket combinations, each dynodeveloped on real motorcycles. Choosing a basemap is a quick & easy process thanks to the software's sorting filters; loading a map takes less than a minute. After that you're ready to start the motorcycle, let the bike warm up at idle to operating temperature and you're ready to ride! During your ride, the ThunderMax Auto-Tune system analyzes the air/fuel ratio read by the wide-band oxygen sensors at warp speed after every cylinder fire and makes any necessary adjustments to the injector pulse width to achieve the desired air/fuel ratio while compensating for variations in injectors, fuel pressure, throttle body or exhaust flow. With every tank of fuel, at any temperature or elevation, your engine's tune is optimized by ThunderMax.

Simply put, ThunderMax is the most advanced, yet user friendly, performance engine management system you can buy for your Harley. Using the supplied ThunderMax software and communication cable allows you to adjust and monitor virtually every parameter in the system. Installation and How-To Videos are available on-line

- Quick & Easy Installation
- Enhanced Overall Engine Performance
- Improved Throttle Response & Rideablity
- · Cooler, Smoother Running Engine
- Automatically Tunes As You Ride
- Grows With Your Bike • Adjustable AFR Targets, Adjustable Idle Speed & Rev Limit RPM (minimum idle should be never less than 800
- Adjustable Spark / Ignition Timing

- Automatic IAC Calibration, Speedometer Calibration
- Reduces or Elimates Exhaust Decel Pop
- Diagnostic Code & Digital Tech Compatible • Running Statistics & Logs
- Start Fuel Pulse, Engine Temp Alarm Setting
- Injector Size Compensation
- Live Engine Tuning, Monitoring, Recording
- Map Analysis & AutoMapping
- Nitrous & Supercharger Compatible
- One-Button Support

### : With Integrated Auto Tune System, Unit: Each, Qty.: 1.0

Part#	Fitment
906786	18-20 Softail
922722	21-22 Touring
645529	XL 10



### **OEM Style Replacement Air Filter**

Superior filtration through a unique open-cell polyurethane foam for greater air flow and improved dirt holding capacity. Drop in air filter with inner screen to hold its form. Made in USA.

11904 Unit: Each, Qty.: 1.0





### Oil Pump/Cam Plate:

- Precision Machined from Billet Aluminum
- Passage Plugs Removable for Servicing
- Independent Scavenge Sections for Flywheel Cavity & Cam
- Debris Screens in Both Scavenge Pickups
- Magnet in Cam Chest to Help to Stop Debris from Entering Oil
- Increased Flow Capacity on Both Feed & Scavenge Side • Pressure Relief Valve is Adjustable with Unit Installed in
- Engine

### **Pushrods:**

- Quickee Pushrods
- Chrome or Gloss Black Pushrod Tubes Available

• S&S Precision Tappets

Fitment: 17-22 FLHTK, 17-19 FLHTKL, 17-21 FLHTKSE, 17-19 FLTRU, 18 FLHTK ANV, 18 ANVFLHTKSE, 20 FLHTK SHRINE, 20-22 FLTRK, 22 FLTRKSE, Fitment Note: Only for Twin Cooled Models, Color: Black, Finish: Wrinkled, : Water Cooled, Chain Drive with Highlighted Fins and Chrome Pushrod, Bore: 4 1/4", Compression Ratio: 11:1, Unit: Set, Qty.: 1.0

Tappet Cuffs:

Valve Springs:

• Hard Anodized Black Coating

Billet Aluminum Construction

Eliminate Stock Chain Tensioner

• Gear Drive Kits Include Outer Drive Gears

• High Performance Conical Single Wire Spring

• Stronger than Stock Material Eliminates Distortion

• S&S 550 Cam- Designed for Big Bore Applications

• Available in Both Gear Drive & Chain Drive Variations

• Gear Drive Kits Provide Improved Cam Timing Accuracy &

• Includes Top Collars, Keepers, & Valve Seals/Bottom Collars

• Improve Tappet Stability in High Lift & High rpm Situations





Compression Ratio: 8.75:1, Unit: Each, Qty.: 1.0

Part#	Fitment	Fitment Note
45957 73-77 FL Shovel,		Only Models with 3 Gal. Tank.
	73-77 FX Shovel	
45958	78-84 FL Shovel,	L78-E84 Models, except Models with
	78-84 FX Shovel	5 Gal. Tanks.





### **Thunderstroke 111 Camshafts**

Indian 111 engines are already a performance favorite. Installing a set of new Andrews cams is the best way to more power.

912516 Fitment: 15-18 Indian Bagger, 13-18 Indian Cruiser, 15-18 Indian Touring, Field of Application: Higher valve lift and more duration means power from 2000–6000 RPM, stock or modified engines, : use with Stock Springs, Unit: Each, Qty.: 1.0



### X-Wedge Crankshaft

Replacement forged crankshafts are available for X-Wedge engines in two strokes. This 4-1/4" stroke crank fits the X114, X117 and X121 engines. Crankshafts are machined and ready to assemble with standard bearings. This assembly includes rods.

906857 Unit: Each, Qty.: 1.0









### **N4 Camshafts**

- Street/Drag, for stock or modified Evolution engines
- Higher idle speed necessary
  Stock springs and hydraulic lifters recommended
- Intake Opening (degrees): 30
- Intake Closing (degrees): 46

- Exhaust Opening (degrees): 52
  Exhaust Closing (degrees): 24
  Intake Duration (degrees): 256
- Exhaust Duration (degrees): 256
- Intake Lift (in): .490
- Exhaust Lift (in): .490

607929 Fitment: 00-19 Sportster, Unit: Set, Qty.: 1.0





## Miwaukee Eight Touring 2" Open Belt Drive Kit

- 2" open belt drive kit
- 2 piece motorplate
- Profile and design front pulley
- Diaphragm Spring (6) Hole

0461 Fitment: 07-16 Touring, Color: Chrome, : 6-Hole; 52
Tooth Front/69 Tooth Rear, 132 Tooth 2" Belt, Material:
Aluminium, Belt Pulley Width: 2", Unit: Kit, Qty.: 1.0



### **BDL 2 Inch Open Belt Drive**

BDL's new 2" belt drives feature their beefy one piece 6061-T6 polished billet motor plate, their new shorty starter housing and starter gear cover and their new side guard. These also include BDL's ball bearing lock up clutch.

697130 Fitment: 90-06 Softail, Color: Aluminium, Finish:
Polished, : 52 Tooth Front/69 Tooth Rear, 142 Tooth 2"
Belt, Material: Billet Aluminium, Belt Pulley Width: 2",
Unit: Kit, Qty.: 1.0



### **BDL 2 Inch Open Belt Drive**

BDL's new 2" belt drives feature their beefy one piece 6061-T6 polished billet motor plate, their new shorty starter housing and starter gear cover and their new side guard. These also include BDL's ball bearing lock up clutch. With mount for heel-toe shifter

97141 Fitment: 07-13 Touring, Color: Aluminium, Finish: Polished, : 52 Tooth Front/69 Tooth Rear, 132 Tooth 2" Belt, Material: Billet Aluminium, Belt Pulley Width: 2", Unit: Each, Qty.: 1.0







### **Kickstart Kit**

Designed to add a kickstarter to all Big Twins with four speed transmissions from 36-86. Includes a reinforced kicker cover, chrome offset kicker arm and gears, clutches, springs, pedal stop, locks and hardware to make the kick conversion complete. Available with a polished or chrome-plated die-cast kicker cover. - Note: These kickstart kits may only be used in conjunction with the late-style (wafer) throwout bearing. Works as a stock replacement in any Custom Chrome standard kicker kit or as a replacement for the Original Equipment part.

25941 Fitment: 36-47 Knucklehead, 48-65 Panhead, 66-84 FL Shovel, 71-84 FX Shovel, 85-86 FX Model, 84-86 Softail, Unit: Kit, Qty.: 1.0





# **15%**

### **Nickel-Plated O-Ring Chain**

RevTech chains combine the high-strength and long wear of O-ring design with great looks. Side plates are nickel-plated for a custom appearance and to prevent rust and corrosion. With top quality rubber O-rings, case hardened pins, and premium bushings.

110 Link, Unit: Each, Qty.: 1.0



80-Spoke Wheel



# 409

Chrome hubs, chrome spokes and yvour choice of polished or chromed stainless steel rims.

Fitment: 86-99 Sportster, 85-94 FX Model, 91-98 Dyna, 84-99 Softail, Fitment Note: Only for Single Disc., Color: Chrome, Operation Type: Single Disc, Wheel width: 3,50", Unit: Each, Qty.: 1.0





- Polished Stainless Steel Spokes
- Available as single or dual disc

635949 Fitment: 86-90 FLST, 88-99 FLSTC, 90-99 FLSTF, 93-96 FLSTN, Color: Chrome, Material: Steel, Axle ø: 3/4", Wheel width: 3,50", Unit: Each, Qty.: 1.0






### **Spoke Wheel Assembly Kits**

Chrome hubs, chrome spokes and your choice of polished, black coated or chromed stainless steel rims.

687674 Fitment: 85 FXWG, 84-89, 99 FXST, 87-98 FXSTC, 98-99 FXSTB, except 89-99 FXSTS, 95-97 FXSTSB, 93-99 FXDWG, Color: Black, Position: Front, Wheel width: 2,15", Unit: Each, Qty.: 1.0





30%

### **Spokes**

Custom Chrome's spoke sets use nothing but the best 6/8 gauge carbon and polished stainless steel materials, but we've put a new twist on them for a great custom look.

8042 Material: Stainless Steel, Wheel /Tire ø: 19", Unit: Pack, Oty.: 40.0





15%

### **Nitro 18 Billet Wheels**

RevTech

- RevTech wheels are CNC-machined from forged blanks of aluminum with the rim profile created using the 'split and spin' method for uniformity and increased strength
- Matching RevTech wheel hubs according the fitment of your bike available separately

### Certification: CCE TÜV-Approved, Material: Billet Aluminium, Unit: Each, Qty.: 1.0

•••							
Part#	Fitment Note	Color	Finish	Wheel /Tire ø	Wheel width		
602677	Please review TÜV certificate for tested applications.	Chrome		18"	3,50"		
602687	Please review TÜV certificate for tested applications.	Chrome		18"	4,25"		
602689	Please review TÜV certificate for tested applications.	Chrome		19"	3,00"		
602755	Please review TÜV certificate for tested applications.	Black	Anodized	18"	3,50"		
602757	Please review TÜV certificate for tested applications.	Black	Anodized	18"	5,50"		
602761	Please review TÜV certificate for tested applications.	Black	Anodized	21"	2,15"		
602763	Please review TÜV certificate for tested applications.	Black	Anodized	23"	3,50"		





### **Brake Caliper**

With GP racing architecture and weight distribution, the extra rigidity maximizes your effort at the brake lever, stopping you faster with more feel. RSD brake calipers coupled with RSD Radial master cylinders are the ultimate V-twin braking system providing unparalleled feel and power.

- Dual-disc application require separate purchase of left and right calipers
- Feature differential bore pistons (1.125" & 1.375") that apply a different force at both the leading edge and the trailing edge of the brake pads for superior braking
- Includes DP brake pads, bleeder screw, 3/8"-24 banjo bolt and sealing washers & shim kit
- Available in Contrast Cut, Black Op, Machine Ops and Chrome finishes
- RSD Contrast Cut product starts with a finely machined polished and black anodized part which is re-machined to bring out the design highlights. Close attention is paid to machine pattern and quality to ensure the best and cleanest machine work.

Fitment: 00-01 Touring, Fitment Note: Sportster not compatible with stock master cylinders. Requires use of 9/16" master cylinder for single disc applications and 11/16" master cylinder for dual disc applications. Right side calipers are only compatible with models that came stock with dual discs, Color: Contrast Cut, Position: Rear, Material: Billet Aluminium, Unit: Kit, Qty.: 1.0





### **Brake Caliper**

PM's 125x4R billet aluminum caliper is still one of the best 4 piston calipers available. Excellent braking performance, don't settle for second best, get PM calipers. Available for 1984 thru 1999 FXR, FXD, FXWG (not FX with spoke wheels), Sportster XL, XLH (not XLH with spoke wheels), FXST 1984 thru 1999 (except FXSTS Springers) and FLST 1984 thru 1999 including all Fat Boy & Heritage models (except FLSTS Springers). These calipers and bracket combinations are available for use with 11 1/2" stock size disc rotors.

Color: Contrast Cut. Position: Front. Rear. Material: Aluminium, Unit: Each, Qty.: 1.0





### **True Floating Brake Rotor**

These superior quality rotors are made from the finest materials around. Featuring 420 stainless steel construction with a chrome-plated carrier, each rotor is assembled with springloaded retainers to insure rattle free operation. Full floating self align to provide maximum contact area and cooler running temperatures. Sold each.

Fitment: 00-10 Sportster, except 08-10 XR1200, 10 XR1200X, 00-17 Dyna, 00-21 Softail, 00-07 Touring, Color: Chrome, Stainless Steel, Position: Rear, Material: Stainless Steel, Diameter: 11,5", Diameter mm: 292.0mm, Unit: Each, Qty.: 1.0





## **Axle Sleeve for Star Hubs**

Fitment: 36-47 Knucklehead, 48-57 Panhead, OEM #: 41600-36, Unit: Each, Qty.: 1.0





### **Wide Tire Swingarm Kit**

894449 Fitment: 08-17 Softail, Fitment Note: 07 Softail Models need aditional Spacer, witch are not included in the Kit. Kit only with 3/4" Axle available and it is not for ABS Models., Unit: Kit, Qty.: 1.0



### **Compensating Sprocket Complete Kit**

Replace your worn out Original Equipment unit with one of these complete assemblies. Each of these assemblies includes the shaft extension, cover with springs, sliding cam, engine nut and sprocket.

Fitment: 91-93 Softail, Material: Steel, Teeth: 24.0teeth, 14235 Unit: Kit, Qty.: 1.0





### **Highway Bar**

642912 Fitment: 00-03, 07-12, 14-17 FLSTC, 00-03 FLSTS, 00, 03-12, 14-17 FLSTF, 01-06 FLSTCI, 01-03 FLSTSI, 01-06 FLSTFI, 05 FLSTFSE, 05, 07-12, 14-17 FLSTN, 05-06 FLSTSCI, 05-06 FLSTNI, 06 FLSTFSE2, 06 FLSTI, 07 FLSTSC, 08-11 FLSTSB, 10-12, 14-17 FLSTFB, 10 FLSTSE, 11 FLSTSE2, 12 FLSTSE3, 13 FLSTC 103, 13 FLSTC 103 ANV, 13 FLSTF 103, 13 FLSTFB 103, 13 FLSTN103, 14-15 FLSTNSE, 16-17 FLSTFBS, Color: Black, Position: Front, Unit: Each, Qty.: 1.0





### **Front Highway Bar** American-made reproductions of Original Equipment bars

- Have flawless chrome-plating or black powder coating
- Made from high-strength tubing
- With heavy-duty 1-1/4" steel plate mounts welded to the tubing to insure a perfect fit

Fitment: 18-22 Softail, except 19-20 FXDRS 114, Color: Black, Position: Front, Material: Steel, Unit: Each, Qty.:





### Wide Inline Springer Fork

- · Fork stem inline
- Reinforced top and bottom trees reduce flex and improve handling • TIG welded alloy steel construction for strength and durability
- Kit includes main springs, fork legs, neck, top nut, crown nut,
- rocker assemblies with brass bushings and top clamp

Fitment: 49-65 Panhead, 66-79 FL Shovel, 80-84 FLH, 80-84 FLHC, 80-84 FLHS, 82-84 FLHP, 83-84 FLHT, 83-84 FLHTC, 83-84 FLHTP, 71-84 FX Shovel, 84-99 Softail, Field of Application: For use with 1" neck bearing only., Fitment Note: Requires 1/2"-20 riser bolts and 3/4"diameter axle., Color: Black, : 20", Certification: CCE TÜV-Approved, Position: Front, Unit: Each, Qty.: 1.0



### Wide Outline Springer Fork

- Fork stem with offset
- Reinforced top and bottom trees reduce flex and improve
- TIG welded alloy steel construction for strength and durability
- Kit includes main springs, fork legs, neck, top nut, crown nut, rocker assemblies with brass bushings and top clamp

Fitment: 84-22 Softail, 91-17 Dyna, 80-20 Sportster, Color: Black, Finish: Powder Coated, Material: Steel, Unit: Each, Qty.: 1.0

Part#	Description	
921462	20" Lower Stem Bearing Cup to Axle Center	
921468	26" Lower Stem Bearing Cup to Axle Center	





### **Slammer Twin Shocks**

- Burly Brand Slammer Shocks
- Measures a stubby 10.5 in. eye-to-eye
- · Preload adjustable to tune to rider weight

Fitment: 04-20 Sportster, Color: Black, Certification: TÜV-Approved, Position: Rear, Length mm: 266.7mm, Length eye to eye: 10,5", Unit: Each, Qty.: 1.0





### **Custom Twin Shocks**

- Springs, adjustment cam covers and eyebolts and shock covers are chrome-plated
- Long-wearing, hard-chromed piston shafts
- Cams are heat-treated and lock into place with a double-lock

28145 Fitment: 73-84 FL Shovel, 73-84 FX Shovel, 85-86 FX Model, Fitment Note: When installing shorter-thanstock shocks, it is imperative that the fender-to-tire clearance is checked., Color: Chrome, : Wihout covers, Position: Rear, Length mm: 279.4mm, Length eye to eye: 11", Unit: Pair, Qty.: 1.0









### **Legend Air ST Twin Rear Shocks**

- All new Legend AIR Suspensions Systems sets the high mark in ultimate ride quality
- New redesigned exclusive Aramid Fiber air spring technology provides spring rate adjustability
- Air springs maximize wheel travel and adjust to any desired ride height
- Fitment accommodates 13" and 12" needs
- Spherical mount bearings top and bottom
- · Hard anodized machined aluminum bodies
- Legend's low-friction seals eliminate stiction
- · High flow piston reacts quickly for improved fluid flow management
- Deflective disc valved damping self adjust to frequency and ensures controlled performance
- Air compressor included, pre-wired, and model specific
- Complete wire harness installed with three easy Deutsch
- System includes OEM looking black handlebar mounted control for easy "on-the-go" adjustability
- Optional chrome handlebar mounted control sold separately (CCE# 890051)
- Made by hand in Sturgis, South Dakota, USA

Fitment: 00-17 Softail, Color: Black, Certification: CCE TÜV-Approved, Position: Rear, Unit: Each, Qty.: 1.0







## **465 Series SGL Mono Shock**

Improved damping characteristics and spring rates result in increased suspension compliance. This allows the rear suspension to more effectively absorb road irregularities, such as bridge abutments and longitudinal pavement cracks without the harshness associated with the OE suspension. Chassis stability is also improved for a more confidence inspiring ride. The 5 position rebound damping adjuster allows the rider to fine tune the shock for comfort and control.

- Hard Anodized aluminum body
- Anodized aluminum shock mounting eye's with spherical bearings (OE is rubber bushing / needle bearing)
- High pressure nitrogen, mono tube design
- Threaded or R.A.P. (Remote Adjustable Preload) pre-load

Fitment: 18-22 Softail, Color: Black, Certification: TÜV-Approved, Position: Rear, Diameter mm: 45.0mm, Length mm: 321.0mm, Length eye to eye: 12,5", Unit: Each, Qty.:

Part#	Description	
906742	1" lowered	
906746	1" lowered, remote preload adjuster	
	a <b>a</b>	





### **490 Series Twin Shocks**

The 490 Sport Series Shocks feature a high-pressure monotube with deflective disc damping technology, hand threaded preload and a rebound adjustment to dial in the ride. This technology coupled with a linear rate spring allow for consistent feel through the damper stroke and the ability to withstand extreme temperature ranges and heavy loads. An engineered jounce bumper with a built-in metal cup also help smooth out and control bottoming.

- High Pressure Gas Monotube
- Deflective Disc Damping
- Lightweight Aluminum Body
- Jounce Bumper with Built-in Cap
- Standard and Bearing Bushings

893897 Fitment: 91-20 Sportster, except 09-10 XR1200, 10-12 XR1200X, Color: Black, Position: Rear, Length mm:

304.8mm, Length eye to eye: 12", Unit: Pair, Qty.: 1.0



### **412 Series Twin Shock**

The 412s simple, durable design means they will be an improvement to your motorcycle's suspension performance for as long as you are riding it.

- All Steel double wall damper with multistage velocity sensitive damping
- 5-position cam style preload adjuster

suspension

- High Pressure Gas Charged for consistant damping performance
- Standard or Heavy-Duty progressive rate springs

Color: Black, Certification: TÜV-Approved, Position: Rear, Qty.: 1.0

Part#	Fitment	Description	Length mm	Length eye to eye	Unit
28439	79-03 Sportster, 85-94 FX Model, 82-84 FXR, 82-84 FXRS, 83-84 FXRT	Standard Duty	292.1	11,5"	Pair
29901	91-17 Dyna	Heavy Duty	279.4	11"	Pair
653875	02-17 V-Rod	Standard Duty	304.8	12"	Set
680234	04-20 Sportster, except 09-10 XR1200, 10-12 XR1200X	Standard Duty	279.4	11"	Pair
680236	04-20 Sportster, except 09-10 XR1200, 10-12 XR1200X	Standard Duty	292.1	11,5"	Pair









### **Racing 2-Seat Rear End Conversion Kit**

This Cult-Werk rear conversion is an ABS plastic part and is CNC milled on the most modern 5-axis machining centers! The rear fender "Racing" was optically very complex and the rear is characterized by very simple assembly. All you have to do is remove the original rear section and replace it with our metal inner fender. Then the lighting in the rear fender has to be wired and finally the ABS plastic part is screwed to the metal inner fender! The rear can be used for tires up to 280 mm and the narrow construction results in a very beefy look.

• Includes fender base, fender cover, leather seat and mounting

914870 Fitment: 19-20 FXDRS 114, Finish: Ready To Paint, : 2-Up version, Certification: TÜV-Approved, Position: Rear, Material: ABS, Unit: Kit, Qty.: 1.0









### Racing 1-Seat Rear End Conversion Kit

This Cult-Werk rear 1-seater conversion is an ABS plastic part and is CNC milled on modern 5-axis machining centers! The rear fender "Racing" was optically very complex and the rear is characterized by an easy mounting procedure. All you have to do is remove the original rear section and replace it with our metal inner fender. Then the lighting in the rear fender needs to be wired and finally the ABS plastic part is screwed to the metal inner fender! The rear can be used for tires up to 280 mm and the narrow construction results in a very beefy look.

 Includes fender base, fender cover, leather seat and mounting hardware

Finish: Ready To Paint, : Solo version, Certification: TÜV-Approved, Position: Rear, Material: ABS, Unit: Kit, Qty.: 1.0

Part#	Fitment
914869	19-20 FXDRS 114
917192	18-20 FLFB, 18-20 FLFBS 114, 18 FLFBS 114 ANX, 18
	FLFBS 114 ANV, 21-22 FLFBS







### **Chopped Rear Fender for Late Sportsters**

As seen on our Café Sporty! Turn your XL into a café racer, chopper or whatever you see fit.

Fitment: 04-06, 10-20 Sportster, except 10 XR1200, 10-13 XR1200X, Position: Rear, Unit: Each, Qty.: 1.0



### **Non Cut Out Front Fender**

- · Precision made in Germany
- Made of solid steel
- Perfect finish with less pre-print labor to do

685379 Fitment: 09 FXDFSE, 08-12, 14-17 FXDF, 10 FXDFSE2, 13 FXDF103, Fitment Note: For use with 130/70-18, 120/70-18, 130/90-16, 130/80-17 Tires., Finish: Raw, : 130/70-18, 120/70-18, 130/90-16, 130/80-17, Position: Front, Material: Steel, Unit: Each, Qty.: 1.0



### **Quickbob Front Fender**

This fender compliments our ever popular Quickbob and Fatbob rear fender kits.

699022 Fitment: 80-85 FXWG, 93-03 FXDWG, 02 FXDWGSE3, 04-05 FXDWGI, 84-89, 99-03, 07, 11-15 FXST, 87-98, 07-10 FXSTC, 98-03, 05, 07-09 FXSTB, 01-02, 04-06 FXSTBI, 02, 04-06 FXSTI, 11-12 FXS, 13 FXS 103, Finish: Raw, Position: Front, Unit: Each, Qty.: 1.0





### **Rear Fender**

- Precision made in Germany
- Made of solid steel
- Perfect finish with less pre-print labor to do

902081 Fitment: 18-19 FXBR, 18-20 FXBRS 114, 18 FXBRS 114 ANX, 18-20 FLFB, 18-20 FLFBS 114, 18 FLFBS 114 ANX, 18 FLFBS 114 ANV, 21-22 FLFBS, 21-22 FXBRS, Finish: Raw, Position: Rear, Material: Steel, Unit: Each, Qty.: 1.0





### **DIY Smooth Short Rear Fender**

- Precision made in Germany
- Made of solid steel
- Perfect finish with less pre-print labor to do

902091 Fitment: 18-22 Softail, except 18-19 FXBR, 18-20 FXBRS 114, 18 FXBRS 114 ANX, 18-20 FLFB, 18-20 FLFBS 114, 18 FLFBS 114 ANX, 18 FLFBS 114 ANV, 18-22 FLSB, 19-20 FXDRS 114, 21-22 FLFBS, 21-22 FXBRS, Finish: Raw, : Short, Position: Rear, Material: Steel, Unit: Each, Qty.:



### **Bobber Rear Fender**

- Precision made in Germany
- Made of solid steel
- Perfect finish with less pre-print labor to do

902105 Fitment: 18-22 Softail, except 19-20 FXDRS 114, 18-20 FLFB, 18-20 FLFBS 114, 18-20 FXBRS 114, 18-19 FXBR, 18 FXBRS 114 ANX, 18 FLFBS 114 ANX, 18 FLFBS 114 ANV, 21-22 FLFBS, 21-22 FXBRS, Fitment Note: Softail Milwaukee-Eight Models with 130-150 Tires (160mm Wide), Finish: Raw, Position: Rear, Material: Steel, Unit: Each, Qty.: 1.0



- Precision made in Germany
- Made of solid steel
- Perfect finish with less pre-print labor to do

902100 Fitment: 91-17 Dyna, Fitment Note: Dyna Evolution/ TwinCam Models for 170-200 Tires (205mm Wide), Finish: Raw, Position: Rear, Material: Steel, Unit: Each, Qty.: 1.0





**High Tunnel Gas Tank for Early Sportster** 

A quality reproduction of the Original Equipment 2.4 gallon gas

12724 Fitment: 55-78 Sportster, OEM #: 61006-63B, Unit: Each, Qty.: 1.0



Whether you need to replace a damaged tank or just want to add some style to your ride, we have the tank for you. These tanks accept the stock fuel pump and come with or without indents and are available with OEM style screw in caps (sold separately) or our raised custom cap (included).

629440 Fitment: 10-20 XL1200X, 18 XL1200X ANX, 17-20 XL1200CX, 19-20 XL1200XS, Fitment Note: XL1200CX need Steering Stop and narrow Handlebar, Finish: Raw, Material: Steel, Unit: Each, Qty.: 1.0



### MC625R Heavy Duty Air Lift

- 1,750 lb. Max Capacity
- Drop panels at front and rear of lift
- Max raised height of 40 inches
- Lowered height is 8.5 inches
- Automatic safety lock
- Loading ramp included

Field of Application: Motorcycle Lift with maximum Load of 790kg, Dimensions: 2200mm x 750mm, minimum Height 220mm, maximum Height 1000mm, Color: Blue, Length mm: 2200.0mm, Unit: Each, Qty.: 1.0





### **Gas Tank for Softail Models**

These tanks are stretched 2" and have all the tabs to mount your stock dash. They accept late model screw-in gas caps and also have provisions for the stock fuel gauge. They're available for both fuel injected and carbureted models.

Fitment: 00-03 Softail, Fitment Note: Carburated Models, Finish: Raw, Material: Steel, Unit: Each, Qty.:





### 7 Gallon Touring Streched Tank

These new custom 7 gal stretched tanks bolt to the frame via stock mountings, the one piece steel construction has a curved bottom design to add that great custom look. They measure approximately 18" wide x 25" long and require a custom seat to be fitted. EFI version tanks come with a custom dash with hidden filler opening & accepts the stock OEM fuel-pumps. Carbureted version (not shown) comes with a center screw in type bung, gas cap sold separately. Hardware & rear mounting brackets included.

629391 Fitment: 03-07 Touring, Fitment Note: EFI Models, Finish: Raw, Material: Steel, Unit: Each, Qty.: 1.0





### **High Performance Motorcycle Transmission Lube SAE 80W90**

- Improved fluid flow to bearings · Easier cold weather shifting
- Reduced drive-train friction
- API GL5
- Convenient resealable one quart plastic bottles with a transparent oil level gauge

Fitment: 48-65 Panhead, 66-84 FL Shovel, 71-84 FX Shovel, 85-94 FX Model, 91-17 Dyna, 84-21 Softail, 86-21 Touring, 09-21 Trike, Fitment Note: Except CVO Models.,: 1 x 60 Liter Drum, Unit: Each, Qty.: 1.0









### **Synthetic Performance MTP Motorcycle Oil SAE 20W50**


RevTech SAE20W50 Synthetic MTP: 3 in 1 for your V-Twin! One oil for 3 uses: Engine, Transmission and Primary. Available in litre, gallon or drum.

- Synthetic base oil with RevTech additive package
- Provides superior performance in V-Twin motors, transmissions, and primaries
- · Superior protection against engine wear
- Avoids corrosion and foaming
- Enhanced lubrication in extreme conditions
- Outstanding viscosity stability
- Excellent heat protection API SL, JASO MA/MA2

(REVTECH

• Convenient resealable one quart plastic bottles with a transparent oil level gauge

602394 Fitment: 86-20 Sportster, 85-94 FX Model, 91-17 Dyna, 84-21 Softail, 86-21 Touring, 09-21 Trike, 02-17 V-Rod, 15-20 Street, 97-02 M2, 97-98 S1, 97-99 S3, 99-02 X1, 03-10 XB, 09-10 1125, : 6 x 1 Gallon (3,785l), Unit: Case, Qty.: 6.0



- · Tachometer with additional bar graph that wraps around the crown of the gauge
- Oil Temperature (sender included)
- Volts
- Fuel Level wraps around the crown of the Speedometer
- Gear Position
- Clock
- Odometer
- A & B Trip meters
- Service Meter (miles until next service)
- Performance Meters: 1/4 mile Speed and Time, 0-60 time, High Speed and RPM recall

**Dakota Digital** 

 Indicators: Turn Signals, High Beam, Cruise Control on/ engaged, Check Engine, Security, ABS with Reverse and Parking Brake available for Tri-Glide applications

### MLX-8600 6 Gauge Kit

915843 Fitment: 96-03 Touring, except 96-03 FLHR, 96-97, 00-02 FLHRI, 98-03 FLHRCI, 02 FLHRSEI, Fitment Note: Fits only Fairing models including Road Glides, Bezel Color: Chrome, Operation Type: Digital, Unit: Set, Qty.: 1.0





### **Synthetic Motorcycle Motor Oil SAE 20W50**

- Prevention of adhesion, lacquering and coking of cylinders, pistons, valves in a reliable manner
- Suitable for operation throughout the year
- Stable lubricating film, even with hot oil and under excessive loads
- Best wear protection
- Extremely stable to shear stress 'Stay-in-grade'
- API CI-4/SI
- Very low oil consumption and excellent oxidation protection
- In order to exploit the full product benefits of Motorfactory Synthetic Motor Oil, a complete engine oil change is recommended

602396 Fitment: 86-20 Sportster, 85-94 FX Model, 91-17 Dyna, 84-21 Softail, 86-21 Touring, 09-21 Trike, 02-17 V-Rod, 15-20 Street, 97-02 M2, 97-98 S1, 97-99 S3, 99-02 X1, 03-10 XB, 09-10 1125, : 12 x 1 Quart (946ml), Unit: Case, Qty.: 12.0





## **RevTech High Performance Motorcycle Oil SAE 50**

- · Developed exclusively for Custom Chrome
- High quality solvent refined base oils and high quality additives
- · Prevents formation of residues in the combustion chamber
- Prevents cold sludge and residue formation in the engine
- Wear, corrosion and foaming are best avoided
- Convenient resealable one quart plastic bottles with a transparent oil level gauge

3505099 29-52 Flathead, 32-73 Servi Car, 36-47 Knucklehead, 48-65 Panhead, 66-84 FL Shovel, 71-84 FX Shovel, 52-85 Sportster



# **SEASON SALE 2022 - 2**



# CHECK OUR NEW DEALER STORE WWW.CUSTOM-CHROME-EUROPE.COM



World's Finest Products For Harley-Davidsons

### Custom Chrome Europe GmbH Carl-von-Ossietzky-Straße 8

D-55459 Grolsheim

Phone: +49 (0) 6721 - 4 007 - 0 Fax: +49 (0) 6721 - 4 007 - 100 e-mail: info@customchrome.de www.custom-chrome-europe.com

Managing Director: Thomas Noetzel  $\cdot$  Mainz Local Court Commercial Registry No. 45562  $\cdot$  VAT No. DE811309246

© Copyright by Custom Chrome Europe GmbH

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means without the prior written permission of the publisher.